

# Other Measurements recorded by measurer

Overall Length

Overhang Forward to L

Overhang Aft to L

Total Overhang (Sum overhang forward and aft)

Waterline Length (Overall Length - Total Overhang)

Minimum measured cockpit frame over water level when ballasted and swamped in accordance with rule C.5.2

Boat weight recorded by weighing according to rule C.5.1


Boat weight including 35 kg ballast

Minimum weight by Rule D.7.2  $(0.2 \times L_{WL} + 0.06)^3 \times 1.025$

	4181
+ 545	
+ 658	
→ - 1.203	
	2978
	254 Kg
	289 Kg
	289 Kg

## Sail Dimensions

Outer point distance  $P = 4.650$   
 Forestay height  $E = 1.960$   
 Foretriangle base  $I = 3.750$   
 $J = 1.560$



Mast measurements checked	
Height of mast datum point Rule C.8.2 (b) (2)	
Boom measurements checked	
Rudder thickness, Rule E.4.3	

## Areas of Sail

Mainsail  $0.5 \times P \times E =$

Foretriangle Total  $0.5 \times I \times J =$

Foretriangle Total  $\times 0.85$

Sail Area For Rating  $= S =$

$\sqrt{S}$

	4.557m <sup>2</sup>
2.925m <sup>2</sup>	
	2.486m <sup>2</sup>
	7.043m <sup>2</sup>
	2.654

Builder EDGE

Designer NORLIN

When Built 2014

Measured by ER HINKOL

Date of Measurement 25 March 2020

Complementary measured by .....

Date of compl measurement 25 March 2020

Certificate issued by Tony Beckley

Date of issue 15 May 2020

name

CA US 24mR CLASS ASSOCIATION

authority

signature

